


# PLEASANT GROVE BAPTIST CHURCH

4827 LEE RD, SALEM, AL 36874

4/23/25



3120 Frederick Road, Suite D ■ Opelika, AL 36801-7133 ■ 334-826-8448 telephone ■ [www.hechtburdeshaw.com](http://www.hechtburdeshaw.com)




4827 LEE RD,  
SALEM, AL 36874

## DRAWING INDEX

### ARCHITECTURAL

|      |                               |
|------|-------------------------------|
| T1.0 | TITLE SHEET                   |
| G1.0 | LIFE SAFETY PLAN & CODE NOTES |
| A1.0 | DEMO PLAN & FLOOR PLAN        |
| A1.1 | FOUNDATION PLAN               |
| A2.0 | EXTERIOR ELEVATIONS           |
| A3.0 | ROOF PLAN & RCP               |






**1**  
**G1.0**  
**FIRST FLOOR LIFE SAFETY PLAN**  
 1/8" = 1'-0"

**LIFE SAFETY LEGEND**

-  EXISTING NON-RATED PARTITIONS
-  NON-RATED PARTITIONS
-  EXIT PATH
-  EXIT UNITS | REQUIRED PROVIDED
-  EXIT SIGN
-  DISTANCE TO EXIT
-  FIRE EXTINGUISHER IN SEMI-RECESSED CABINET
-  FIRE EXTINGUISHER ON BRACKET

**PROJECT DESCRIPTION**

**GENERAL PROJECT INFORMATION:**

THIS PROJECT IS 1,038 S.F. ADDITION TO AN EXISTING 3,241 S.F. WOOD FRAMED ASSEMBLY OCCUPANCY. THIS INFORMATION IS PROVIDED TO GIVE INSIGHT TO THE INTENDED USE OF THE FACILITY AND THE UNIQUE NEEDS OF SAME.

**CODE ANALYSIS**

CODES USED FOR PERMITTING ARE THOSE IN FORCE IN 2025 INCLUDING BUT NOT LIMITED TO 2021 IBC, 2021 IPC, 2021 IMC, 2021 FGC, 2013 IECC, 2021 IFC, 2020 NEC, ALL W/ALABAMA AMENDMENTS.

CHAPTER 3, OCCUPANCY CLASSIFICATION AND USE  
SECTION 303, ASSEMBLY GROUP A

CHAPTER 5, BUILDING HEIGHTS AND AREAS:  
TABLE 504, BUILDING HEIGHT: ALLOWABLE 40' - 0", ACTUAL HEIGHT 24' - 10"

SECTION 506, BUILDING AREA: ALLOWABLE 6000 SF  
 AREA OF NEW BUILDING: 1134 SF  
 AREA OF EXISTING BUILDING: 3241 SF  
**TOTAL ACTUAL AREA: 4375 SF**

CHAPTER 6, TYPE OF CONSTRUCTION:  
SECTION 602, CONSTRUCTION CLASSIFICATION: TYPE V (UNPROTECTED)

TABLE 601, FIRE RESISTANCE RATING REQUIREMENTS: NOT REQUIRED

CHAPTER 10, MEANS OF EGRESS:  
SECTION 1004, OCCUPANT LOAD:  
TABLE 1004.5, MAXIMUM FLOOR AREA PER OCCUPANT: A - ASSEMBLY,  
WAITING SPACES 15 GROSS W/ FIXED SEATING = 185  
CLASSROOM SPACES 20 NET = 28  
NEW OFFICE SPACES 150 GROSS = 1  
EXIST OFFICE SPACES 150 GROSS = 3  
TOTAL OCCUPANT LOAD: 185 + 28 + 3 + 1 = 217

SECTION 1005, MEANS OF EGRESS SIZING:  
SECTION 1005.3.2, OTHER EGRESS COMPONENTS: EGRESS CAPACITY FACTOR 0.2 INCH PER OCCUPANT

SECTION 1006, NUMBER OF EXITS AND EXIT DOORWAYS:  
TABLE 1006.3.2, MINIMUM NUMBER OF EXITS: OCCUPANT LOAD 1-500, 2 REQUIRED, 4 ARE PROVIDED

SECTION 1017, EXIT ACCESS TRAVEL DISTANCE:  
TABLE 1017.2, EXIT ACCESS TRAVEL DISTANCE: NON SPRINKLED - 200', MAXIMUM TRAVEL PROVIDED - 81'-4"

SECTION 1020, CORRIDORS:  
TABLE 1020.2, MINIMUM CORRIDOR WIDTH: 44"  
TABLE 1020.1 OCCUPANT SERVING LESS THAN 30 OCCUPANTS REQUIRE NO FIRE RATING.

SECTION 1020.4, DEAD ENDS: MAX. LENGTH 20'


MINIMUM NUMBER OF PLUMBING FIXTURES: 2018 IBC, TABLE 2002.1 MINIMUM NUMBER OF REQUIRED PLUMBING FIXTURES, BASED ON THE FOLLOWING OCCUPANT CALCULATIONS:

| OCCUPANT TYPE          | WATER CLOSETS                  |        | LAVATORIES          |        | DRINKING FOUNTAINS | SERVICE SINK |
|------------------------|--------------------------------|--------|---------------------|--------|--------------------|--------------|
|                        | male                           | female | male                | female |                    |              |
| REQUIRED (A- ASSEMBLY) | 1                              | 2      | 1                   | 1      | 1                  | 1            |
| FIXTURES PROVIDED:     | MALE:                          |        | 1 WC, 2 LAVS        |        |                    |              |
|                        | FEMALE:                        |        | 2 WC, 2 LAVS        |        |                    |              |
|                        | <b>TOTAL</b>                   |        | <b>3 WC, 4 LAVS</b> |        |                    |              |
|                        | DRINKING FOUNTAINS PROVIDED: 1 |        |                     |        |                    |              |

www.hechtburdeshaw.com

334-626-8448 Telephone  
3120 Frederick Road, Suite D Opelika, AL 36801-7133

**Hecht Burdeshaw Architects, Inc.**




**PLEASANT GROVE BAPTIST CHURCH**  
4827 LEE RD, SALEM, AL 36874

| REVISION | DATE |
|----------|------|
|          |      |
|          |      |

SHEET TITLE  
LIFE SAFETY PLAN & CODE NOTES

|                 |               |
|-----------------|---------------|
| DATE<br>4/23/25 | SHEET<br>G1.0 |
| JOB<br>2024-048 |               |




**DEMO PLAN KEY NOTES**

- 1 REMOVE WALLS, DOOR, FRAMES, AND WINDOWS SHOWN DASHED.
- 2 REMOVE EXISTING CEILING AS REQUIRED FOR NEW ROOMS.
- 3 DEMO EXISTING RAIL TO TIE INTO NEW RAIL OPENING. STORE/PROTECT.
- 4 PROTECT BAPTISTRY FOR REUSE.



**GENERAL DEMOLITION NOTES**

- VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO COMMENCING DEMO OR CONSTRUCTION.
- PROTECT ALL EXISTING TO REMAIN WALLS, DOORS & FRAMES, ETC. DURING DEMOLITION.
- TAKE ALL PRECAUTIONS TO PROTECT AND MAINTAIN ALL EXISTING FINISHES WHERE NO WORK IS TO TAKE PLACE.
- REMOVE AS INDICATED ALL WALLS, WINDOWS, DOORS, FRAMES, AND FINISHES.
- ALL DEMOLITION MATERIALS SHALL BE DISPOSED OF OFF SITE. CONTRACTOR SHALL COORDINATE CONSTRUCTION SCHEDULE, TIMING, AND MOVEMENT OF MATERIALS AND STORAGE OR REUSE CONTAINERS WITH OWNER.




**FLOOR PLAN KEY NOTES**

- 1 1/2" GYP. BOARD ON 7/8" METAL FURRING ON FACE OF EXISTING WALL.
- 2 CONCRETE ADA ACCESSIBLE RAMP
- 3 DEMO EXISTING WALL AS REQUIRED FOR INSTALLATION OF NEW FRAME OPENING
- 4 ADA HAND RAILS AS REQUIRED - MATCH EXISTING
- 5 FURNITURE N.I.C.
- 6 REUSE BAPTISTRY FOR NEW LOCATION
- 7 NEW BRICK PLASTER MATCH EXIST.
- 8 NEW STAIR & HANDRAIL - COORD. NUMBER OF STEPS W EXIST. SITE GRADING



| DOOR SCHEDULE |         |        |    |              |        |      |          |                                 |         |
|---------------|---------|--------|----|--------------|--------|------|----------|---------------------------------|---------|
| NO.           | OPENING |        | QT | DOOR         |        |      | FRAME    |                                 | REMARKS |
|               | WIDTH   | HEIGHT |    | MATERIAL     | THK    | ELE. | MATERIAL |                                 |         |
| 01            | 4'-0"   | 7'-0"  | 1  |              | 0"     | -    | HOL. MTL | DEMO EXISTING WALL AS REQUIRED  |         |
| 02            | 4'-0"   | 7'-0"  | 1  |              | 0"     | -    | HOL. MTL | DEMO EXISTING WALL AS REQUIRED  |         |
| 03            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 04            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 05            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 06            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 07            | 3'-0"   | 7'-0"  | 1  | INSUL. METAL | 1 3/4" | 2    | HOL. MTL | CONFIRM HEIGHT - MATCH EXISTING |         |
| 08            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 09            | 3'-0"   | 7'-0"  | 1  |              | 0"     | -    | HOL. MTL |                                 |         |
| 10            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 11            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 12            | 3'-0"   | 7'-0"  | 1  |              | 0"     | -    | HOL. MTL |                                 |         |
| 13            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |
| 14            | 3'-0"   | 7'-0"  | 1  | S.C. WOOD    | 1 3/4" | 1    | HOL. MTL |                                 |         |




DOOR ELEVATIONS  
1/4" = 1'-0"


**GENERAL FLOOR PLAN NOTES**

- VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO COMMENCING DEMO OR CONSTRUCTION.
- ALL WORK SHALL FULLY COMPLY WITH ALL CURRENT FEDERAL, STATE AND LOCAL CODES, ORDINANCES, AMENDMENTS AND OTHER REQUIREMENTS OF THE AUTHORITY HAVING JURISDICTION.
- PENETRATIONS THROUGH FIRE RATED ASSEMBLIES AND/OR SMOKE PARTITIONS SHALL BE SEALED IN ACCORDANCE WITH ALL APPLICABLE CODES, ORDINANCES AND AMENDMENTS.
- COORDINATE ALL ROOF PENETRATIONS WITH EQUIPMENT, PIPING, VENTS, ETC. PROVIDE PROPER FLASHING SYSTEMS AS REQUIRED.
- COORDINATE LOCATIONS AND PROVIDE REQUIRED FIRE EXTINGUISHERS, EXIT SIGNS AND EMERGENCY LIGHTING WITH THE STATE FIRE MARSHAL AND/OR AHJ.
- COORDINATE WITH OWNER AND PROVIDE ALL FINISHES (FLOORING, PAINT, TRIM, WALLCOVERING, ETC.).
- UNLESS APPROVED OTHERWISE, ALL LIGHT FIXTURES, ELECTRICAL DEVICES AND HVAC REGISTERS/GRILLES TO MATCH EXISTING.
- SEE CODE ANALYSIS ON SHEET G1.0 FOR FIRE EXTINGUISHER REQUIREMENTS.

**SYMBOL LEGEND**




**WALL LEGEND**




| REVISION | DATE |
|----------|------|
|          |      |


|                        |       |
|------------------------|-------|
| SHEET TITLE            |       |
| DEMO PLAN & FLOOR PLAN |       |
| DATE                   | SHEET |
| 4/23/25                | A1.0  |
| JOB                    |       |
| 2024-048               |       |




5 RAMP LONGITUDINAL SECTION  
A1.1 3/8" = 1'-0"




6 RAMP ELEVATION  
A1.1 3/8" = 1'-0"




1 FOUNDATION PLAN  
A1.1 1/4" = 1'-0"  
PROJECT NORTH  
TRUE NORTH




2 SECTION AT FOOTING  
A1.1 1" = 1'-0"




3 SECTION AT EXISTING FOOTING  
A1.1 1" = 1'-0"




7 CONC. STAIR SECTION  
A1.1 3/4" = 1'-0"



8 RAILING SECTION  
A1.1 1 1/2" = 1'-0"



4 RAMP SECTION  
A1.1 3/4" = 1'-0"




**PLEASANT GROVE BAPTIST CHURCH**  
4827 LEE RD, SALEM, AL 36874

| REVISION | DATE |
|----------|------|
|          |      |
|          |      |
|          |      |

SHEET TITLE  
**FOUNDATION PLAN**


|                 |               |
|-----------------|---------------|
| DATE<br>4/23/25 | SHEET<br>A1.1 |
| JOB<br>2024-048 |               |




1 SOUTH ELEVATION  
AZ.0 1/8" = 1'-0"



2 WEST ELEVATION  
AZ.0 1/8" = 1'-0"




3 NORTH ELEVATION  
AZ.0 1/8" = 1'-0"




4 EAST ELEVATION  
AZ.0 1/8" = 1'-0"

**MATERIAL KEY NOTES**


- |                                   |  |  |
|-----------------------------------|--|--|
| 1 EXISTING BRICK VENEER           | 10 EXISTING LAP SIDING                       | 19 NEW ADA ACCESSIBLE RAMP                   |
| 2 EXISTING ARCHITECTURAL SHINGLES | 11 EXISTING CORRUGATED METAL ROOF            | 20 NEW GUARD/HAND RAIL - MATCH EXISTING      |
| 3 EXISTING CONT. METAL DRIP EDGE  | 12 EXISTING BRICK PILASTER                   | 21 NEW BRICK PILASTER - MATCH EXISTING       |
| 4 EXISTING 1X FASCIA BOARD        | 13 BRICK VENEER - MATCH EXISTING             | 22 NEW BRICK SOLDIER COURSE - MATCH EXISTING |
| 5 EXISTING WINDOW                 | 14 ARCHITECTURAL SHINGLES - MATCH EXISTING   | 23 NEW CONT. METAL DRIP EDGE                 |
| 6 EXISTING EXTERIOR DOOR          | 15 EXISTING 1X FASCIA BOARD - MATCH EXISTING | 24 SPLIT FACE - PAINT WHITE                  |
| 7 EXISTING CONCRETE STEPS         | 16 WINDOW - MATCH EXISTING                   |  |
| 8 EXISTING RAMP                   | 17 DOOR - MATCH EXISTING                     |  |
| 9 EXISTING GUARD/HAND RAIL        | 18 NEW CONCRETE STEPS                        |  |



7 STOREFRONT A  
AZ.0 3/8" = 1'-0"



6 BAPTISMAL ELEVATION  
AZ.0 3/8" = 1'-0"



5 BUILDING SECTION  
AZ.0 3/8" = 1'-0"

**Hecht Burdeshaw Architects, Inc.**  
3120 Frederick Road, Suite D • Opelika, AL 36801-7133 • 334-626-8448 Telephone • www.hechtburdeshaw.com



**PLEASANT GROVE BAPTIST CHURCH**  
4827 LEE RD, SALEM, AL 36874

| REVISION | DATE |
|----------|------|
|          |      |
|          |      |

SHEET TITLE  
**EXTERIOR ELEVATIONS**

|                 |               |
|-----------------|---------------|
| DATE<br>4/23/25 | SHEET<br>A2.0 |
| JOB<br>2024-048 |               |

